

SQN Electronics Ltd

Price List as at January 4th, 2017.



Professional Portable Stereo Audio Mixers:

SQN-4S mini mk II

4:2 Stereo Mixer.

- SQN-4SMB With Peak Programme Meters - BSI / BBC scales
- SQN-4SMN With Peak Programme Meters - Nordic Norm scales
- SQN-4SMA With Peak Programme Meters - SMPTE scales
- SQN-4SMV With VU meters

Contact us for latest price deals
and delivery
or
Trade in

SQN-5S Series II

5:2 Stereo Mixer.

- SQN-5SB With Peak Programme Meters - BSI / BBC scales
- SQN-5SN With Peak Programme Meters - Nordic Norm scales
- SQN-5SA With Peak Programme Meters - SMPTE scales
- SQN-5SV With VU meters

Contact us for latest price deals
and delivery
or
Trade in

Accessories:

	Current Price List (£ Sterling)	
SQN-SS	Spare wide webbing shoulder strap for any model	9.00
SQN-4MWB	Waterproof padded carrying bag for SQN-4S mini, SQN-2S or SQN-3M mixer & accessories with wide non-slip shoulder strap & waist strap.	130.00
SQN-5WB	Waterproof padded carrying bag for SQN-5S mixer or SQN-4S series IV or IVe mixer & accessories with wide non-slip shoulder strap & waist strap.	160.00
SQN-4WC	Waterproof padded carrying bag for SQN-4S mixer (Series I, II, III or IIIa mixer & accessories with wide non-slip shoulder strap & waist strap.	160.00
SQN-4AP	Unpadded pouch for accessories for attachment to - SQN-4MWB, -5WB or -4WC bag	32.00
SQN-SLC	Black leather ever ready slip case for SQN-5S or SQN-4S Series IV and Series IVe	39.00
SQN-MLC	Black leather ever ready slip case for SQN-4S mini, SQN-2S or SQN-3M	29.00
SQN-PS2	Power supply suitable for any SQN mixer. Universal input 90-264 Vac. Includes UK, Euro, Australian and USA plug adaptors.	42.00
SQN-NPB	Holder for NP camera battery (e.g. NP-1, NP-1A etc.). Presents power to the mixer via Hirose 4-pin (male) plug on a flying lead. Incorporates four auxiliary, switched, Hirose 4-way (female) connectors. Outputs are fused, and a low battery voltage indicator fitted.	148.00
SQN-VLK	Holder for V-Lock camera battery (e.g. BP GL65) to 4-pin HRS plug.	90.00

...

Camera Cable Assemblies:

TAJIMI interface: for Models SQN-5S, SQN-4S_mini, SQN-2S and SQN-4S IV & IVE using TAJIMI 12-Pin push/pull connectors (standard Main I/O 1997 onward).

Note: standard Camera/Recorder interface cables (SQN-RTS) have a stereo 3.5mm mini jack monitor plug, but may be specifically ordered with XLR-3F, XLR-5F or twin RCA phono connectors at an added cost of £6

SQN-BLT	Two section cable loom to interface 12-way Tajimi socket of an SQN-4S_mini, SQN-2S, SQN-5S or SQN-4S Series IV/IVE stereo mixer with a Camera/Recorder, including monitoring return (length of extension section: 3m - if required longer add £3.85 per metre)	140.00
SQN-BCT	Cable loom as SQN-BLT but with coiled extension section in lieu of straight cable (total length: 3.5m stretching to 6.5m)	150.00
SQN-CET	Coiled quad twin screened extension cable for SQN-BLT / BCT terminated with 12-way Tajimi connectors (3m stretching to 6m)	76.00
SQN-SET	As above but straight cable (3m - if required longer add £3.85 per metre)	66.00
SQN-RTS	Camera/recorder interface section of all above looms	74.00
SQN-RTS/ RVX	Reversed interface (aka "reversed tails") to permit use of SQN camera/recorder Cable Assemblies with equipment not manufactured by SQN Electronics	74.00

HIROSE interface: for Models SQN-4S II, III & IIIa using 10-Pin HRS screw-on connectors (Main I/O 1987 - 1996).

Note: standard Camera/Recorder interface cables (SQN-RIS) have a stereo 3.5mm minijack monitor plug, but may be specifically ordered with XLR-3F, XLR-5F or twin RCA phono connectors at an added cost of £6

SQN-BLS	Two section cable loom to interface 10-way HRS socket of SQN-4S II / III / IIIA stereo mixer with a Camera/Recorder, including monitoring return (length of extension section: 3m - if required longer add £3.85 per metre)	109.00
SQN-BCS	Cable loom as SQN-BLS but with coiled extension section in lieu of straight cable (total length 3.5m stretching to 6.5m).	124.00
SQN-CES	Coiled quad twin screened extension cable for SQN-BLS / BCS terminated with 10-way HRS connectors (3m stretching to 6m).	65.00
SQN-SES	As above but straight cable (length 3m - if required longer add £3.85 per metre)	50.00
SQN-RIS	Camera/recorder interface section of all above looms	59.00
SQN-RIS/ RVX	Reversed interface (aka "reversed tails") to permit the use of SQN camera/recorder Cable Assemblies with equipment not manufactured by SQN Electronics and which does not have the benefit of a multi-way connector as Main I/O	59.00

DIN for Model SQN-3M Mono Mixer (1980 - 2007):

interface:

SQN-BLM	Two section cable loom to interface socket B of SQN-3M mono mixer with a Camera/recorder, including monitoring return (length of extension section: 3m - if required longer add £2.75 per metre).	90.00
SQN-BCM	Cable loom as SQN-BLM but with coiled extension section in lieu of straight cable (total length 3.5m stretching to 6.5m).	105.00
SQN-SEM	3m straight section of SQN-BLM 2-part loom - if required longer add £2.75 per metre.	30.00
SQN-CEM	Coiled section of SQN-BCM 2-part loom (3m stretching to 5.5m).	46.00
SQN-RIS	Camera/recorder interface section of all above looms	59.00

Hybrid Cable Assemblies:

Certain circumstances may warrant a non-standard, or hybrid, extension cable, such cables being terminated with connectors that are of dissimilar type.

SQN-SET/S	Quad twin screened 'straight cable' extension section terminated with a Tajimi 12-pin 'male' connector at the mixer interface and a Hirose 10-way 'female' connector at the other end. (length 3m - if required longer add £3.85 per metre).	54.00
SQN-SES/T	Quad twin screened 'straight cable' extension section terminated with a Hirose 10-pin 'male' connector at the mixer interface and a Tajimi 12-way 'female' connector at the other end. (length 3m - if required longer add £3.85 per metre).	57.00
SQN-CET/S	Coiled quad twin screened extension cable terminated with a Tajimi 12-pin 'male' connector at the mixer interface and a Hirose 10-way 'female' connector at the other end. (length: 3m stretching to 6m).	69.00
SQN-CES/T	Coiled quad twin screened extension cable terminated with a Hirose 10-pin 'male' connector at the mixer interface and a Tajimi 12-way 'female' connector at the other end. (length: 3m stretching to 6m).	72.00

Other Cable Assemblies

SQN-SCA	Short adaptor cable to interface the SQN-5S Series II second camera connections to a standard connecting cable.	75.00
SQN-4TA	Adaptor cable: TAJIMI 12-pin (male) and HIROSE 10-way (female) connectors.	42.00
SQN-4TR	Adaptor cable: HIROSE 10-pin (male) and TAJIMI 12-way (female) connectors.	45.00

Other Camera Cable Assemblies (continued)

SQN-PWA	Short coiled cable to feed stereo unbalanced outputs of pre SQN-4S Series IV (6-pin HRS socket) to 3.5mm line input of Sony Pro Walkman or similar recorder.	35.00
SQN-PWB	Short coiled cable to feed stereo unbal. outputs of SQN-5S or SQN-4S Series IV/ IVe (12-pin HRS socket) to 3.5mm stereo line input of Sony Pro Walkman or similar recorder.	40.00
SQN-BS4	Cable loom feeding 4 Channels from socket B to 4 XLR-3M connectors.	90.00
SQN-BS4 _Bdirect	Cable loom feeding 4 Channels directly from socket [B] to 4 XLR-3M connectors.	70.00
SQN-BS5	Cable loom feeding 5 Channels from socket B to 5 XLR-3M connectors.	98.00
SQN-BSV	A variety of output configurations are available to special order. SQN will be pleased to discuss your requirements.	P.O.A.
SQN-X7S	Splitter lead for the XLR-7M socket of SQN-4S_mini mk II.	55.00
SQN-YCA	Short adaptor cable from XLR-5F to LH & RH XLR-3M.	39.00
SQN- YCA_CL	Custom Length Output Cable from XLR-5F to LH & RH XLR-3M connectors.	P.O.A.
SQN-XM3	Balanced output cable: XLR-3M to TA3F.	28.00
SQN-TF/TRS	Unbalanced output cable: Locking (Sennheiser) 3.5mm TRS plug and Switchcraft TA3FLX connector. Compatible with TA3M 'active balanced output' chassis connectors. Length 1m.	30.00

Raw Cable:

SQN-TSC	Double twin screened audio cable plus 2 unscreened leads. Black PVC, 6mm dia, Length up to 100m - price per metre.	2.75
SQN-QSC	Quad twin screened audio cable plus 3 unscreened leads. Black PVC, 7mm dia. Length up to 100m - price per metre.	3.85

Servicing Aids:

SQN-CDD	Service Data USB 'stick' for SQN-2S, SQN-4S_mini, SQN-4S Series IV, SQN-4S Series IVe, SQN-5S, SQN-5S Series II, SQN-3M (Serial_Nos. 34000 onward), and SQN-4S Series II & III. Universal HTML format with on-screen and printable data & diagrams. Also includes scanned archive material relating to SQN-3 Type M and Type C models.	21.00
---------	--	-------

E&OE Carriage and Insurance Extra.
Prices in the U.K. are subject to VAT at 20%